



**40 000-TB**

**REALIZE  
YOUR CAPACITY**

## 40 000-TB

There is no carrier as strong as the NRC 40,000-TB. It is pure performance, strength and top notch quality. Perfect for transportation of all kinds, this real industrial carrier will surprise you by its versatility and its impressive power. Available in deck lengths ranging from 24' to 30'.

### EXTREME POWER

### RECOVERY CAPABILITIES

NRC carriers are built and designed to do recovery without adding heavy options. Every detail in their construction has been engineered to give you great strength and performance. Combined with the stabilizer grips, the Roller Guide is a simple and easy to use piece of equipment that allows you to do recovery with your NRC carrier.

### VERSATILITY

The 40,000-TB is strong enough to carry trucks, heavy machinery, or almost anything you want to throw at it.

### LOWER DECK

Take advantage of a lower deck when transporting heavy machinery and equipment of all kinds. While being able to haul higher loads, you will appreciate the stability of a lower center of gravity.

### THE BEST FINISH IN THE INDUSTRY

### NRC QUALITY



## ADVANTAGES

- EXTREME POWER
- RECOVERY CAPABILITIES
- VERSATILITY
- LOWER DECK
  - Easier for the operator to chain down loads
  - Haul higher loads and stay legal
  - Lower center of gravity (more stable)
  - Better load angle

- BEST FINISH IN THE INDUSTRY
- HEAVY-DUTY LONG DECK LOCK
- EASY TO USE HEADACHE RACK
- 20,000 LB OR 25,000 LB WINCH
- ENCLOSED VALVE BANK SPOOLS (eliminates leaks caused by road dirt)
- STAINLESS STEEL CONTROL RODS
- FORMED CROSS-MEMBERS
- LOW HINGE PIN BELOW THE FRAME RAILS
- TAIL & SIGNAL LIGHTS MOUNTED ON THE OUTSIDE EDGES OF THE HEADACHE RACK
- RECESSED MARKER LIGHTS
- SHOTBLASTED WITH EPOXY PRIMER
- NRC QUALITY




## STANDARD EQUIPMENT

- Deck capacity: 40,000 lbs (distributed weight)
- Floor thickness: 1/4"
- Easy to use headache rack
- Fixed sides
- 3 round recessed side marker lights
- Deck lights
- Chain slots on each side
- Hydraulic pump
- Hydraulic oil tank with filter
- 25,000 lb worm gear winch
- 5/8" x 75' wire rope
- Dual control
- Independant hydraulic tow bar
- Shotblast + Primer paint
- Federal standard #108 light group
- Tie-down chains

## OPTIONAL EQUIPMENT

- Deck flat top with stake pockets
- Removable rails
- Extra marker light
- 6" T1 steel flat bar welded at the end of the deck
- 20,000 lb planetary winch
- Second winch
- 1/4" T1 steel deck
- Wooden floor
- Remote control
- Tool boxes
- Roller Guide for recovery
- Stabilizer grip
- Trailer hitch & pintle hook adapter
- Set of work lights on top of rear bumper
- Skirting front only
- Skirting front & rear
- Sliding track for winch binder
- Stainless steel on side of bed
- Stainless steel on skirts
- Stainless steel on light pylon
- Stainless steel on rear bumper
- Deck: 102" wide (N/C)
- Extra chain slots
- Light bars
- Paint
- Installation
- Other options available


### REMOVABLE RAILS



### FIXED SIDES



### STATIONARY HEADACHE RACK



All recommendations are minimums; heavier specifications may be required. Always consult your local distributor or the factory for more information.

All ratings are based on structural factors only, not vehicle capacities. Specifications shown are approximations and may vary depending on chassis selected. NRC Industries Inc. reserves the right to change or modify the product and/or specifications without notice or obligation. Some optional equipment shown.

